

Scanspac Fin

Page: 1 of 6

Version: 1.1 Date Prepared: 19th June 2006

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Identification of the substance/preparation Scanspac Fin

Use of the substance/preparation Ready to use compound

Company Identification SCANSPAC & CO KB

Address and Telephone No. Kemivägen 7

705 97 Glanshammar

Sweden

Tel: +46-(0)19-46 34 00 Fax: +46-(0)19-46 57 31 Web site: www.scanspac.com

Contact Anders Sakari

e-mail: info@scanspac.se

Emergency Phone No. Swedish Poison Centre - Acute 112

- Non-acute +46-(0)8-33 12 31

2. HAZARDS IDENTIFICATION

Important hazards

Health/Physical hazards
 Not considered likely to present any toxicological or physical

hazards to human health.

- Environmental hazards Not considered likely to present any hazards to the

environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous component(s)

Ingredient	CAS Number	EC Number	%	Symbol	Risk Phrases *
5-Chloro-2-methyl-4- isothiazolin-3-one and 2-Methyl-4- isothiazolin-3-one (3:1) mixture	55965-84-9	-	<0.0015 %	T, N	23/24/25-34-43-50/53
1,2-benzisothiazol-3	2634-33-5	220-120-9	< 0,05 %	Xn	22-38-41-43-50



Last changed: 2007-10-23 Internal No.: A12300 Replaces date: 2006-05-31

Scanspac Fin

Page: 2 of 6

Version: 1.1 Date Prepared: 19th June 2006

(2H)-one						
I (ZD)-OHE						
(=)						

^{*} For a full description of R-phrases see Section 16.

4. FIRST-AID MEASURES

Inhalation Remove patient to fresh air, allow to rest and keep warm.

If specific symptoms are evident, seek medical attention.

Skin contact

Remove product from skin using kitchen roll or similar paper.

Rinse with lukewarm water and Wash immediately with

plenty of soap and water. Remove any contaminated

clothing and launder before reuse. If irritation develops seek

medical advice.

Eye contact Flush immediately with plenty of water, keeping eyelids

open. Remove contact lenses if possible. If irritation

develops seek medical advice.

Ingestion DO NOT induce vomiting! Rinse mouth out with water, and

give 1 to 2 glasses of water to drink. Allow patient to rest and keep warm. Seek medical attention if large amounts

have been ingested.

Personal precautions Ensure that those giving first aid treatment do not get

contaminated by product spills, etc. Wear suitable

protective clothing, gloves, safety goggles. See also Section

8.

5. FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable Product not flammable but may burn at high temperatures so

use media appropriate to surrounding materials.

- Not to be used None.

Special exposure hazards Emits oxides of carbon and crystalline silica in fire.

Special protective equipment for fire fighters Self-contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Environmental precautions Wear suitable protective clothing. See Section 8 for details.

Prevent from entering sewers or the immediate

environment. In case of large spill, inform local police

and/or fire brigade.



Last changed: 2007-10-23 Internal No.: A12300 Replaces date: 2006-05-31

Scanspac Fin

Page: 3 of 6

Version: 1.1 Date Prepared: 19th June 2006

Methods for cleaning up

- on soil Wipe or scrape up spilt material. Rinse area with water. Put

the recovered material into a well-ventilated place, allow paste to stiffen and dispose of according to local regulations.

See also Section 13.

- on water None available.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes. Avoid prolonged contact with skin.

Take care not to form dust. Ensure good ventilation if there

is a risk of dust formation.

Storage Keep cool but frost-free.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Recommended engineering controls Ensure good ventilation during use. Arrange for eye wash

possibility.

Control parameters:

-ILV/IOELV (EC) None set.

Monitoring procedures Not required.

Personal protection

Always check applicability with your supplier of protective equipment.

- Respiratory protection None required when handling small amounts. Ensure good

ventilation if there is a risk of dust formation. In case of prolonged or frequent exposure to dust, wear particle filter mask to EN 143 fitted with Type P2 filter, or EN 149 fitted

with type FFP-S filter.

- Skin protection Laboratory coat or overalls.

- Eye protection Wear dust-tight goggles if there is a risk of dust formation.

Wear full face visor if there is a risk of direct contact or

splashes are likely.

- Hand protection Protective gloves are recommended, especially if prolonged

or repeated contact is likely. Since glove performance is governed by many variables it is strongly recommend that specialist advice on the selection and use of protective

gloves is sought.



Scanspac Fin

Page: 4 of 6

Version: 1.1 Date Prepared: 19th June 2006

Note: Break-through times can vary depending on thickness,

use and source. Change gloves regularly.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White, slight odour, pasty solid.

Density at 20°C (kg/m³) ca 1300 pH (in solution) ca 9 Boiling point/range (°C) > 100 Flash point (°C) > 100 Solids content ca 61%

Note: These are typical values and do not constitute a specification.

10. STABILITY AND REACTIVITY

Stable under normal conditions (see Section 7)

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

No test data available on product

Test data on ingredients: **Acrylate copolymer**

LD₅₀ Oral rat: > 5000 mg/kg (not classified as hazardous)

Exposure hazard:

Product has low degree of toxicity and hazards to health when handled correctly.

Inhalation
 Product has low volatility and risk of inhalation is minimal.

Inhalation of dust from dried product can irritate the

inhalation tract.

- Skin contact No hazards expected.

- Eye contact Particles can irritate eyes due to a mechanical effect.

Ingestion ingestion of large amounts may lead to feelings of unease

and sickness.



Last changed: 2007-10-23 Internal No.: A12300 Replaces date: 2006-05-31

Scanspac Fin

Page: 5 of 6

Date Prepared: 19th June 2006

Product contains very small amounts of isothiazolones, which are known to cause sensitisation in susceptible individuals.

12. ECOLOGICAL INFORMATION

Aquatic toxicity:

Other data

No test data available on product, but expected to be of low toxicity.

Environmental effects:

- Mobility Most of the ingredients are insoluble in water.

Version: 1.1

- Bioaccumulation Will not bioaccumulate

The product's main component, dolomite, is not considered dangerous for the environment. See other reports for additional ecotoxicological data on ingredients.

13. DISPOSAL CONSIDERATIONS

Disposal of product Not classified as hazardous waste, but should be disposed of

via a licensed contractor ensuring that all national and local

authority requirements are complied with.

Possible EWC codes 08 04 10 Waste adhesives and sealants,

or 20 01 28 Paints, inks, adhesives and resins.

Disposal of packaging Contaminated packing should be disposed of as above,

according to national and local authority guidelines. Empty and cleaned packaging can be reclaimed or incinerated.

14. TRANSPORT INFORMATION

Not hazardous for transport

15. REGULATORY INFORMATION



Scanspac Fin

Page: 6 of 6

Version: 1.1 Date Prepared: 19th June 2006

EU labelling information Not classified as hazardous for supply under EU legislation

- Symbol(s) None

- R-Phrase(s) None

- S-Phrase(s) None

Specific provisions Exposure limit, see Section 8

Safety data sheet available for professional user on request

16. OTHER INFORMATION

Sources of key data used Dangerous Substances Directive - Annex I

Suppliers' Safety Data Sheets

Version number 1.1
Date prepared 19.06.06
Supersedes Version 2006-06-06

Nature of revision 2007-10-23, updated according to REACH

R-phrases used in document R22 Harmful if swallowed

R23/24/25 Toxic by inhalation, in contact with skin and if

swallowed

R38 Irritating to skin R34 Causes burns

R41 Risk of serious damage to eyes

R43 May cause sensitisation by skin contact

R50 Very toxic to aquatic organisms

R50/53 Very toxic to aquatic organisms, may cause long-

term adverse effects in the aquatic environment

Based on EU Directive 91/155/EEC (as amended by 93/112/EEC and 2001/58/EC)

End of document Number of pages = 6